

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07697-B - Goat Anti-Argininosuccinate synthetase 1, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

Principal Names: ASS1, argininosuccinate synthase 1, ASS, CTLN1, argininosuccinate

synthetase 1, citrulline--aspartate ligase, citrulline-aspartate ligase

Official Symbol: ASS1

Accession Number(s): NP\_000041.2

Human GeneID(s): 445

Non-Human GenelD(s): 11898 (mouse), 25698 (rat)

Important Comments: Reported variants represent identical protein: NP\_446464.1,

NP\_000041.2

# Immunogen

Peptide with sequence C-ENPKNQAPPGLYTKTQD., from the internal region of the protein sequence according to NP\_000041.2.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 46kDa band observed in Human Kidney lysates (calculated MW of 46.5kDa according to NP\_000041.2). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.01-0.03µg/ml.

## **Species Reactivity**

Tested: Human, Cow

Expected from sequence similarity: Human, Mouse, Rat, Dog

Biotinylated EB07697 (0.03µg/ml) staining of Human Kidney lysate (35µg protein in RIPA buffer), exactly mirroring its parental non-biotinylated product. Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.