

### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05559 - Goat Anti-B3GNT1 Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

Principal Names: B3GNT1, UDP-GlcNAc:betaGal

beta-1,3-N-acetylglucosaminyltransferase 1, B3GNT, B3GN-T1, B3GN-T2, B3GNT-2, BETA3GNT, beta3gal-T5 gene, beta-1,3-N-acetylglucosaminyltransferase bGnT-1,

beta-1,3-N-acetylglucosaminyltransferase bGnT-2

Official Symbol: B3GNT1

Accession Number(s): NP\_006568; NP\_150274

Human GeneID(s): 10678

Important Comments: This antibody will recognise both isoforms NP\_006568 and

NP\_150274.

# **Immunogen**

Peptide with sequence DIWSQLQSAHLKC, from the C Terminus of the protein sequence according to NP\_006568; NP\_150274.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

# **Applications Tested**

**Western blot:** Western blot: Approx 47kDa and 39kDa bands seen in Mouse Brain lysate. Recommended for use at 3-5μg/ml.

This is a glycosyl transferase and the two bands may represent both the glycosylated and unglycosylated isoforms. Glycosylation can affect migration of proteins on SDS-PAGE [Hames, B.D and Rickwood, D., eds. Gel electrophoresis of proteins: a practical approach. Oxford University Press].

### **Species Reactivity**

Tested: Mouse

Expected from sequence similarity: Human