

#### **UK Office**

#### **Everest Biotech Ltd**

**Cherwell Innovation Centre** 

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07997 - Goat Anti-Bisphosphate 3'-nucleotidase Antibody

Size: 100µg specific antibody in 200µl

### **Target Protein**

Principal Names: bisphosphate 3\1-nucleotidase, 3\1(2\1), 5\1-bisphosphate

nucleotidase 1, PIP, BPntase, PAP-inositol-1,4-phosphatase

Official Symbol: BPNT1

Accession Number(s): NP\_006076.4

Human GenelD(s): 10380

Non-Human GenelD(s): 23827 (mouse), 64473 (rat)

#### **Immunogen**

 $\label{eq:continuous} \mbox{Peptide with sequence $C$-RNYDYYASRVPESIK, from the $C$ Terminus of the protein}$ 

sequence according to NP\_006076.4.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:4000.

**Western blot:** Approx 37kDa band observed in Human Liver lysates (calculated MW of 33.4kDa according to NP\_006076.4). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Spiegelberg et al, J Biol Chem. 1999 May 7;274(19):13619-28.; PMID: 10224133). Recommended concentration: 1-3µg/ml.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat



EB07997 (1µg/ml) staining of Human Liver lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.