

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09178 - Goat Anti-BMAL1 / ARNTL Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ARNTL, BMAL1, aryl hydrocarbon receptor nuclear translocator-like, BMAL1c, JAP3, MGC47515, MOP3, PASD3, TIC, ARNT-like protein 1, brain and muscle, bHLH-PAS protein JAP3, basic-helix-loop-helix-PAS orphan MOP3, member of PAS superfamily 3

Official Symbol: ARNTL

Accession Number(s): NP_001169.3; NP_001025444.1

Human GeneID(s): [406](#)

Non-Human GeneID(s): 11865 (mouse), 29657 (rat)

Important Comments: This antibody is expected to recognize both reported isoforms (NP_001025444.1; NP_001025443.1). Reported variants represent identical protein (NP_001025443.1; NP_001169.3).

Immunogen

Peptide with sequence REKITTNCYKFKIKD, from the internal region of the protein sequence according to NP_001169.3; NP_001025444.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx. 70+75kDa bands observed in Human Brain (Cerebellum) lysates (calculated MW of 68.7kDa according to NP_001169.3 and 64.1kDa according to NP_001025444.1). Recommended concentration: 0.3-1µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

EB09178 (0.3µg/ml) staining of Human Brain (Cerebellum) lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.