



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB05275 - Goat Anti-DAPK2 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** DAPK2, death-associated protein kinase 2, DRP-1, DRP1, MGC119312, DAP kinase 2, DAP-kinase-related protein 1, OTTHUMP00000163874, death-associated kinase 2

**Official Symbol:** DAPK2

**Accession Number(s):** NP\_055141.2; NP\_001371929.1

**Human GeneID(s):** [23604](#)

### Immunogen

Peptide with sequence C-KALHPRRRSSTS, from the C Terminus of the protein sequence according to NP\_055141.2; NP\_001371929.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:32000.

**Western blot:** Approx 40-45kDa bands seen in mouse brain extracts. Recommended for use at 1-3µg/ml. Primary incubation was for 1 hour.

**IHC:** Paraffin embedded Human Breast and Thyroid. Recommended concentration: 2.5µg/ml.

### Species Reactivity

**Tested:** Human, Mouse

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig

EB05275 staining (2µg/ml) of mouse brain extracts (RIPA buffer, 35µg total protein per lane). Detected by chemiluminescence.

EB05275 (2.5µg/ml) staining of paraffin embedded Human Breast. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

EB05275 (2.5µg/ml) staining of paraffin embedded Human Thyroid. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining.