



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05362 - Goat Anti-DKK4 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: DKK4, dickkopf homolog 4 (Xenopus laevis), DKK-4, hdck-4, Dickkopf gene 4, dickkopf (Xenopus laevis) homolog 4, MGC129562, MGC129563, dickkopf homolog 4

Official Symbol: DKK4

Accession Number(s): NP_055235.1

Human GeneID(s): [27121](#)

Immunogen

Peptide with sequence RQHARLRVCQKIEKL, from the C Terminus of the protein sequence according to NP_055235.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 30-35kDa band seen in Jurkat lysate. Recommended for use at 1-3µg/ml. Please note that literature indicates DKK4 is detected as three major immunoreactive species of approx. 40 kDa [form (i)], 30-32 kDa [form (ii)] and 15-17 kDa [form (iii)]. We believe this antibody will recognise 30-32kDa species of DKK4.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig



EB05362 staining (1 μ g/ml) of Jurkat lysate (RIPA buffer, 30 μ g total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.