

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07508 - Goat Anti-FEZ1 / Zygin 1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: FEZ1, zygin 1, fasciculation and elongation protein zeta 1 (zygin I)

Official Symbol: FEZ1

Accession Number(s): NP_005094.1

Human GeneID(s): 9638

Non-Human GenelD(s): 235180 (mouse), 81730 (rat)

Important Comments: This antibody is expected to recognize isoform 1 (NP_005094.1)

only.

Immunogen

Peptide with sequence C-QNKQKEQRELMKK, from the internal region of the protein sequence according to NP_005094.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 75kDa band observed in lysates of cell line Kelly, ans in Rat Brain lysates (calculated MW of 45.1kDa according to human NP_005094.1 and 45.2kDa according to Rat NP_112328.1). This molecular weight is routinely observed by other sources and was successfully blocked by incubation with the immunising peptide. Recommended concentration:0.1-0.3g/ml. Primary incubation 1 hour at room temperature. IHC: Paraffin embedded Human Brain (Cerebellum). Recommended concentration: 5-8μg/ml.

Species Reactivity

Tested: Human, Rat

Expected from sequence similarity: Human, Mouse, Rat, Dog

EB07508 (0.1μg/ml) staining of Kelly cell lysate (A) + Peptide (B) (35μg protein in RIPA buffer). Detected by chemiluminescence.

EB07508 (0.1μg/ml) staining of Rat Brain ysate (A) + Peptide (B) (35μg protein in RIPA buffer). Detected by chemiluminescence.

EB07508 (5µg/ml) staining of paraffin embedded Human Cerebellum. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.

EB07508 Negative Control showing staining of paraffin embedded Human Cerebellum, with no primary antibody.