

#### **UK Office**

### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08897 - Goat Anti-PCSK6 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** PCSK6, proprotein convertase subtilisin/kexin type 6, PACE4, SPC4, paired basic amino acid cleaving system 4, subtilisin-like proprotein convertase 4, subtilisin-like protease, subtilisin/kexin-like protease PACE4

Official Symbol: PCSK6

Accession Number(s): NP\_002561.1; NP\_612192.1; NP\_612195.1; NP\_612197.1;

NP\_612196.1; NP\_612198.2; NP\_612193.1; NP\_612194.1

Human GeneID(s): 5046

Important Comments: This antibody is expected to recognize reported isoforms a, b, g

and h (NP\_002561.1; NP\_612192.1; NP\_612193.1; NP\_612194.1 resp.).

# **Immunogen**

Peptide with sequence C-YHTFSAHQSRSR, from the internal region of the protein sequence according to NP\_002561.1; NP\_612192.1; NP\_612195.1; NP\_612197.1; NP\_612196.1; NP\_612198.2; NP\_612193.1; NP\_612194.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Preliminary experiments gave an approx 40-45 kDa band in Human Brain (Cerebellum) lysates after 0.2  $\mu$ g/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 106 kDa according to NP\_002561.1. The 40-45 kDa band was successfully blocked by incubation with the immunizing peptide.

IHC: Paraffin embedded Human Skeletal Muscle and Kidney. Recommended concentration: 5µg/ml.

# **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

EB08897 (5µg/ml) staining of paraffin embedded Human Skeletal Muscle. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

EB08897 (5μg/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.