

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford

Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB11889 - Goat Anti-THNSL2 (aa192-204) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names:

Official Symbol: THNSL2

Accession Number(s): NP_060741.3; NP_001231605.1; NP_001231607.1

Human GeneID(s): 55258

Important Comments: This antibody is expected to recognize all reported isoforms

(NP_060741.3; NP_001231605.1; NP_001231607.1).

Immunogen

Peptide with sequence C-EGNSDELDEPIKT, from the internal region of the protein sequence according to NP_060741.3; NP_001231605.1; NP_001231607.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 40kDa band observed in Human Colorectal cancer lysates (calculated MW of 45.0kDa according to NP_001231605.1). Recommended

concentration: 1-3 μ g/ml. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Skeletal Muscle. Recommended concentration: 5µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Cow

EB11889 (2µg/ml) staining of Human Colorectal Cancer lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.

EB11889 (5µg/ml) staining of paraffin embedded Human Skeletal Muscle. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.