

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05329-T - Goat Anti-BAK1 Antibody - Trial

Size: 20µg specific antibody in 40µl



Target Protein

Principal Names: BAK1, BCL2-antagonist/killer 1, BAK, CDN1, BCL2L7, cell death inhibitor 1, apoptosis regulator BAK, Bcl-2 homologous antagonist/killer, BAK-LIKE,

MGC117255, MGC3887, BCL2-like 7 protein, pro-apoptotic protein BAK

Official Symbol: BAK1

Accession Number(s): NP_001179.1

Human GeneID(s): 578

Non-Human GenelD(s): 12018 (mouse), 116502 (rat)

Immunogen

Peptide with sequence ASGQGPGPPRQE-C, from the N Terminus of the protein sequence according to NP_001179.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 25kDa band observed in Human Adrenal Gland lysates and in preliminary testing of HeLa and Jurkat cell lyate (calculated MW of 23.4kDa according to NP_001179.1. Recommended concentration: 0.5-1µg/ml. Primary incubation 1 hour at room temperature.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Pig

EB05329 staining (2μg/ml) of Human Adrenal Gland lysate (35μg protein in RIPA buffer). Detected by chemiluminescence.