

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05207 - Goat Anti-CHN2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: CHN2, chimerin (chimaerin) 2, ARHGAP3, RHOGAP3, RhoGAP3, beta

chimerin, Chimerin 2 (GTPase-activating protein, rho, 3), BCH, MGC138360,

rho-GTPase-activating protein 3

Official Symbol: CHN2

Accession Number(s): NP_001035025.1; NP_004058.1

Human GeneID(s): 1124

Important Comments: This antibody is expected to recognize both reported isoforms

(NP_004058.1; NP_001035025.1).

Immunogen

Peptide with sequence C-QILIENEDVLF, from the C Terminus of the protein sequence according to NP_001035025.1; NP_004058.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Preliminary experiments in Human Brain (Cerebellum and Frontal Cortex) lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?


IHC: In paraffin embedded Human Cortex shows staining of neuronal bodies.

Recommended concentration, 3-6µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Dog, Cow



EB05207 (3.8 μ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.