

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06969 - Goat Anti-PLK1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: PLK1, polo-like kinase 1 (Drosophila), HGNC:9077, PLK, STPK13, cell cycle regulated protein kinase polo (Drosophia)-like kinase, polo like kinase, polo-like

kinase, polo-like kinase (Drosophila)

Official Symbol: PLK1

Accession Number(s): NP_005021.2

Human GeneID(s): 5347

Non-Human GenelD(s): 18817 (mouse), 25515 (rat)

Immunogen

Peptide with sequence C-DKLLSSRSASNRLK, from the C Terminus of the protein sequence according to NP_005021.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 65kDa band observed in lysates of cell line K562 (calculated MW of 68.3kDa according to NP_005021.2). Recommended concentration: 1-3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB06969 (1 μ g/ml) staining of K562 lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.